Leveraging Multiple Regions to Improve Site Reliability

Lessons Learned from Jet.com

Backround





Andrew Duch Tech Lead, Cloud Platform @ Jet




E-Commerce Website focused on saving you money Run in Azure, Event-sourcing design, Microservices



Jet Engineering now part of Walmart Labs



Not so long ago...



In July 2015, Jet.com launched

Focused on going live

We were running only **one** Azure region

Then...





HOME U.S. NEWS MARKETS INVESTING TECH MAKE IT VIDEO SH

INTERNET RETAIL

Jet.com reportedly suffering outages on desktop, mobile

Javier E. David | @TeflonGeek

Published 9:47 AM ET Sat, 15 Aug 2015 | Updated 9:53 AM ET Sat, 15 Aug 2015





Source: Jet.com

Unstart online retailer, let com anneared to be suffering some website

By August 2015, we experienced our first **major outage**... and **people noticed**.

With Cyber Monday looming just 3mos away... we new we had to take action.




So we decided to invest in building out in a second Cloud region...











Fast MTTR




Planned Events



So we asked each engineering team to come up with a multi-datacenter architecture plan...



And we got back diagrams that looked like this...



"It will be a lot easier if I can just replicate all my data systems!"



Lesson #1: Don't replicate every data store


Lesson #1: Don't replicate every data store



- Learning how to design for and operate geo-replication of data stores is hard
- Only replicate source-of-truth data stores across regions
- All other data stores should be projections of that data that are hydrated locally
- Let's see an example...

iet Event-Sourcing Platform








Lesson #2: Not every system needs to be Active/Active

How can I architect my systems?







Lesson #2: Not every system needs to be Active/Active

Time - Achieving Active/Active architecture for apps that were not designed to do so often involve significant refactoring

Complexity - Teams need to make their own CAP trade-offs. Conflict resolution is requires thought

Cost - Having hot data access in every region can become expensive and may not be required for non-Tier 1 services

Let the SLO be an input into architecture decisions...



Lesson #3: Three is cheaper than two

Lesson #3: Three is cheaper than two





Two Region Model

Excess compute capacity when not in failure mode: 100%

Three Region Model

Excess compute capacity when not in failure mode: 50%

Both are N+1...



Lesson #4: Practice, Practice, Practice

Lesson #4: Practice, Practice, Practice



- We run traffic failovers on a weekly basis
- We run storage layer DR exercises monthly
- It's not enough to run a failover exercise, break your regional links in order to expose hidden or forgotten dependencies



Lesson #5: Failover Automation Needs to Scale

Lesson #5: Failover Automation Needs to Scale



 First-generation failover was a compilation of scripts that would move us through well defined states... required a lot of operator expertise

• Second-generation was a fully automated failover tool with centrally managed plans.

 Ultimate goal would be failover handled within the platform layers of the system...
 No external coordination tooling

```
History
        3 INSTRUCTIONS:
25
26
           1. Follow playbook!
28
29
30
         9 3. Run script below
31 $dbD
32 $dbl
33 $dbS
36 ###
39 $cor
           Login-AzureRmAccount
        22 if ($environment -ea
       124 if ($environment -eq "qa") { $subscription = "QA" }
           ### Grab Failover Consul Values
```



Q/A

This work was contributed by numerous people across many teams at Jet.