Errata Slip

In the published version of "BetrFS: A Right-Optimized Write-Optimized File System", (Wednesday Session, "Quoth the Raven, Neveread: Write-Optimized File Systems", pp 301–315 of the proceedings), the authors transposed two data points in Table 6 (btrfs on find and grep).

The original table:

FS	find	grep	dir rename	delete
BetrFS	0.36 ± 0.06	3.95 ± 0.28	21.17 ± 1.01	46.14 ± 1.12
btrfs	14.91 ± 1.18	3.87 ± 0.94	0.08 ± 0.05	7.82 ± 0.59
ext4	2.47 ± 0.07	46.73 ± 3.86	0.10 ± 0.02	3.01 ± 0.30
XFS	19.07 ± 3.38	66.20 ± 15.99	19.78 ± 5.29	19.78 ± 5.29
zfs	11.60 ± 0.81	41.74 ± 0.64	14.73 ± 1.64	14.73 ± 1.64

Table 6: Directory operation benchmarks, measured in seconds. Lower is better.

The correct table:

FS	find	grep	dir rename	delete
BetrFS	0.36 ± 0.06	3.95 ± 0.28	21.17 ± 1.01	46.14 ± 1.12
btrfs	3.87 ± 0.94	14.91 ± 1.18	0.08 ± 0.05	7.82 ± 0.59
ext4	2.47 ± 0.07	46.73 ± 3.86	0.10 ± 0.02	3.01 ± 0.30
XFS	19.07 ± 3.38	66.20 ± 15.99	19.78 ± 5.29	19.78 ± 5.29
zfs	11.60 ± 0.81	41.74 ± 0.64	14.73 ± 1.64	14.73 ± 1.64

Table 6: Directory operation benchmarks, measured in seconds. Lower is better.